

5. Environmental Applications of 2D Molybdenum Disulfide (MoS₂)

REFERENCES

- [1] Tenne, R.; Margulis, L.; Genut, M.; Hodes, G. Polyhedral and cylindrical structures of tungsten disulphide. *Nature* 1992, 360, 444 – 446.
- [2] Tenne, R. Doped and heteroatom-containing fullerene-like structures and nanotubes. *Adv. Mater.* 1995 7, 965-995.
- [3] Remskar, M.; Mrzel, A.; Skraba, Z.; Jesih, A.; Ceh, M.; Demšar, J.; Stadelmann, P.; Levy, F.; Mihailovic, D. Self-Assembly of Subnanometer-Diameter Single-Wall MoS₂ Nanotubes. *Science* 2001, 292, 479 – 481.
- [4] Xiao, J, Choi, D.; Cosimbescu, L.; Koech, P.; Liu, J.; Lemmon, P. Exfoliated MoS₂ Nanocomposite as an Anode Material for Lithium Ion Batteries. *Chem Materials* 2010,3, 4522-4524.
- [5] Shu, H.; Li, F.; Hu, C.; Liang, P.; Cao, D.; Chen, X. The capacity fading mechanism and improvement of cycling stability in MoS₂-based anode materials for lithium-ion batteries. *Nanoscale* 2016, 8, 2918–2926.
- [6] Xie, S.; Xu, M.; Liang, T.; Huang, G.; Wang, S.; Xue, G.; Meng, N.; Xu, Y.; Chen, H.; Ma, X.; Yang, D. A High-Quality Round-Shaped Monolayer MoS₂ Domain and its Transformation. *Nanoscale* 2016, 8, 219–225.
- [7] Schmidt, H.; Wang, S.; Chu, L.; Toh, M.; Kumar, R.; Zhao, W.; Neto, A. H. C.; Martin, J.; Adam, S.; Ozyilmaz, B.; Eda, G. Transport Properties of Monolayer MoS₂ Grown by Chemical Vapor Deposition. *Nano Lett.* 2014, 14, 1909–1913
- [8] Mak, K. F.; Lee, C.; Hone, J.; Shan, J.; Heinz, T. F. Atomically Thin MoS₂: A New Direct-Gap Semiconductor. *Phys. Rev. Lett.* 2010, 105, 136805.
- [9] Splendiani, A.; Sun, L.; Zhang, Y.; Li, T.; Kim, J.; Chim, C. Y.; Galli, G.; Wang, F. Emerging Photoluminescence in Monolayer MoS₂. *Nano Lett.* 2010, 10, 1271–1275.
- [10] Xiao, D.; Liu, G.-B.; Feng, W.; Xu, X.; Yao, W. Coupled Spin and Valley Physics in Monolayers of MoS₂ and Other Group-VI Dichalcogenides. *Phys. Rev. Lett.* 2012, 108, 196802.
- [11] Amani, M.; Chin, M. L.; Birdwell, A. G.; O'Regan, T. P.; Najmaei, S.; Liu, Z.; Ajayan, P. M.; Lou, J.; Dubey, M. Electrical Performance of Monolayer MoS₂ Field-Effect Transistors Prepared by Chemical Vapor Deposition. *Appl. Phys. Lett.* 2013, 102, 193107.
- [12] Kang, J.; Liu, W.; Banerjee, K. High-Performance MoS₂ Transistors with Low-Resistance Molybdenum Contacts. *Appl. Phys. Lett.* 2014, 104, 093106.
- [13] Kufer, D.; Konstantatos, G. Highly Sensitive, Encapsulated MoS₂ Photodetector with Gate Controllable Gain and Speed. *Nano Lett.* 2015, 15, 7307–7313.
- [14] Cheng, R.; Li, D.; Zhou, H.; Wang, C.; Yin, A.; Jiang, S.; Liu, Y.; Chen, Y.; Huang, Y.; Duan, X. Electroluminescence and Photocurrent Generation from Atomically Sharp WSe₂/MoS₂ Heterojunction p-n Diodes. *Nano Lett.* 2014, 14, 5590–5597.
- [15] Wang, T.; Zhu, R.; Zhuo, J.; Zhu, Z.; Shao, Y.; Li, M. Direct Detection of DNA below ppb Level Based on Thionin-Functionalized Layered MoS₂ Electrochemical Sensors. *Anal. Chem.* 2014, 86, 12064– 12069.
- [16] Tran, X. T.; Poorahong, S.; Siaj, M. One-pot hydrothermal synthesis and selective etching method of a porous MoSe₂ sand rose-like structure for electrocatalytic hydrogen evolution reaction. *RSC Advances*. 2017, 7, 52345-52351