

compared with conventional pad footing, but the used of CFS in pad footing system is more economical due to less wastage occurs as the formwork is replaced with CFS which act as permanent formwork

ACKNOWLEDGMENT

The work reported in this study was graciously supported by Translational Research Grant (TRG) under Universiti Teknologi Malaysia with grant number R.J130000.7809.4L858 and chargeline number A.J091201.5541.07121 (UMUM-PERUNDINGAN CTMC). The authors remain indebted for the support given by them.

REFERENCES

- [1] Yu, C. and Schafer, B.W., "Distortional buckling of cold-formed steel members in bending," 2005.
- [2] Badir, Y.F., Kadir, M.A. and Hashim, A.H., "Industrialized building systems construction in Malaysia," *Journal of Architectural Engineering*, vol. 8, no. 1, pp.19-23, 2002. [https://doi.org/10.1061/\(ASCE\)1076-0431\(2002\)8:1\(19\)](https://doi.org/10.1061/(ASCE)1076-0431(2002)8:1(19))
- [3] Wong, K.L., "Structural behaviour of pre-fabricated composite pad footing foundation using cold-formed steel lipped channel sections," Ph.D. dissertation, Universiti Teknologi Malaysia, 2010.
- [4] Winter, G., "Strength of thin steel compression flanges," *Transactions of the American Society of Civil Engineers*, vol. 112, no. 1, pp.527-554, 1947.
- [5] Oehlers, D.J., "Composite profiled beams," *Journal of Structural Engineering*, vol. 119, no. 4, pp.1085-1100, 1993. [https://doi.org/10.1061/\(ASCE\)0733-9445\(1993\)119:4\(1085\)](https://doi.org/10.1061/(ASCE)0733-9445(1993)119:4(1085))
- [6] Oehlers, D.J., Wright, H.D. and Burnet, M.J., "Flexural strength of profiled beams," *Journal of Structural Engineering*, vol. 120, no. 2, pp.378-393, 1994. [https://doi.org/10.1061/\(ASCE\)0733-9445\(1994\)120:2\(378\)](https://doi.org/10.1061/(ASCE)0733-9445(1994)120:2(378))
- [7] Mohamad, D., Ramli, M.Z., Danuri, H.N. and Sapuan, W.K., "Demand of the industrialized building system (IBS) implementation in Malaysian government projects," 2016.
- [8] Badir, Y., "Theory of classification: its application and Badir-Razali building Systems classification," *Journal of Institute Engineer*, 1998.

carry out practical training as full-time design and practicing engineer with Ling and Wong Consultant Private Limited in Johor Bahru, Johor. He continued his study for Ph.D in Jan 1994 at University of Warwick, U.K and managed to complete his study in May 1997. He continued his service with FKA UTM at Steel Technology Centre as fellow of the center. In 1999, he managed to get his professional engineer status from Board of Engineers Malaysia. In 2000, he has been appointed as Associate Professor and Director of Steel Technology Centre. In 2008, he has been appointed as full professor. During his involvement in research and publication for the last 20 years, he has published 50 indexed journals and 78 conference papers. He involved in research exhibition at Invention and New Product Exposition (INPEX) 2004, May 12-15, 2004. Pittsburgh, PA USA and managed to won silver medal. He also involved in research exhibition at Innovative and Research Product, 34th International Exhibition of Invention, New Techniques and Product of Geneva 2006 and Malaysia Technology Expo 2006, 23 – 25 Feb 2006, PWTC, K. Lumpur. At both exhibitions, he managed to secure gold medal. His main areas of research are steel structures, composite structures, and concrete structures. He also is registered as member of Institute Engineer Malaysia (MIEM). At present, he is a director of Institute for Smart Infrastructure and Innovative Construction.



Prof Ir. Dr Mahmood joined UTM in May 1985 as Assistant Lecturer "A" after completing his first degree from University of Iowa, USA. He taught diploma students from May 1985 to 1988 before pursuing his Master degree at University of Nebraska Lincoln, USA. After completing his master degree (M.Sc) in Structure Engineering, he continued to serve FKA, UTM from 1989 to 1993. During that period he taught degree students on theory of structure and structure mechanics subjects. In 1990 to 1991 he has been granted permission by UTM to