

Department of Electrical, Electronic and System Engineering, University Kebangsaan Malaysia, Bangi, Selangor, Malaysia and Department of Veterinary Pathology & Microbiology, Faculty of Veterinary, Serdang, University Putra Malaysia

REFERENCES

- [1] B. Unit, "Pathogenic and Saprophytic Leptospira Species in Water and Soils from Selected Urban Sites in Peninsular Malaysia," vol. 28, no. 1, pp. 135–140, 2013.
- [2] T. Branch, "Isolation and identification of pathogenic and saprophytic Leptospira spp. from the rice fields of Tonekabon Township," no. November 2013, 2017.
- [3] D. Benacer, S. Nursheena, M. Zain, F. Amran, R. L. Galloway, and K. L. Thong, "Isolation and Molecular Characterization of Leptospira interrogans and Leptospira borgpetersenii Isolates from the Urban Rat Populations of Kuala Lumpur, Malaysia," vol. 88, no. 4, pp. 704–709, 2013.
- [4] Z. Arent, C. Frizzell, C. Gilmore, A. Allen, and W. A. Ellis, "Leptospira interrogans serovars Bratislava and Muenchen animal infections: Implications for epidemiology and control," *Vet. Microbiol.*, vol. 190, pp. 19–26, 2016.
<https://doi.org/10.1016/j.vetmic.2016.05.004>
- [5] C. Chirathaworn and S. Kongpan, "Review article Immune responses to Leptospira infection: roles as biomarkers for disease severity," vol. 8, no. 1, pp. 77–81, 2013.
- [6] A. T. Slack *et al.*, "Leptospira kmetzi sp. nov., isolated from an environmental source in Malaysia," no. 2009, pp. 705–708, 2016.
- [7] S. T. Bvsc, I. D. Robertson, A. Fairuz, L. Suut, and M. T. Abdullah, "Leptospirosis, an emerging zoonotic disease in Malaysia," vol. 35, no. 2, pp. 123–132, 2013.
- [8] B. Adler and A. De Pen, "Leptospira and leptospirosis," vol. 140, pp. 287–296, 2010.
- [9] J. Rawlins, A. Portanova, I. Zuckerman, and A. Loftis, "Molecular Detection of Leptospiral DNA in Environmental Water on St. Kitts," pp. 7953–7960, 2014.
- [10] P. Hernández-rodríguez, C. A. Díaz, E. A. Dalmau, and G. M. Quintero, "A comparison between polymerase chain reaction (PCR) and traditional techniques for the diagnosis of leptospirosis in bovines," *J. Microbiol. Methods*, vol. 84, no. 1, pp. 1–7, 2011.
<https://doi.org/10.1016/j.mimet.2010.10.021>
- [11] P. Chalayon, P. Chanket, T. Boonchawalit, and S. Chattanadee, "Transactions of the Royal Society of Tropical Medicine and Hygiene Leptospirosis serodiagnosis by ELISA based on recombinant outer membrane protein," *Trans. R. Soc. Trop. Med. Hyg.*, vol. 105, no. 5, pp. 289–297, 2011.
<https://doi.org/10.1016/j.trstmh.2011.01.008>
- [12] C. K. Murray *et al.*, "Transactions of the Royal Society of Tropical Medicine and Hygiene Use of patient-specific Leptospira isolates in the diagnosis of leptospirosis employing microscopic agglutination testing (MAT)," *Trans. R. Soc. Trop. Med. Hyg.*, vol. 105, no. 4, pp. 209–213, 2011.
<https://doi.org/10.1016/j.trstmh.2010.12.004>
- [13] M. Gremlica, R. Olejnik, D. G. Babar, and P. Slobodian, "SENSING ELEMENT BASED ON POLYANILINE COMPOSITES FOR POLAR ORGANIC VAPOURS DETECTION," pp. 4–8, 2014.
- [14] A. P. Science and M. Sciences, "Ag / polyaniline nanocomposites: Synthesize, characterization, and application to the detection of dopamine and tyrosine Ternary Ag / Polyaniline / Au Nanocomposites: Preparation, Characterization and Electrochemical Properties 1," no. November, 2013.
- [15] Z. Wang, E. Liu, D. Gu, and Y. Wang, "Author's personal copy Glassy carbon electrode coated with polyaniline-functionalized carbon nanotubes for detection of trace lead in acetate solution."
- [16] S. C. K. Misra, P. Mathur, and B. K. Srivastava, "Vacuum-deposited nanocrystalline polyaniline thin film sensors for detection of carbon monoxide," vol. 114, pp. 30–35, 2004.
- [17] B. Thakur, C. A. Amarnath, S. H. Mangoli, and S. N. Sawant, "Sensors and Actuators B: Chemical Polyaniline nanoparticle based colorimetric sensor for monitoring bacterial growth," *Sensors Actuators B. Chem.*, vol. 207, pp. 262–268, 2015.
<https://doi.org/10.1016/j.snb.2014.10.045>
- [18] B. Massoumi, S. Fathalipour, A. Massoudi, and M. Hassanzadeh, "Ag / Polyaniline Nanocomposites: Synthesize, Characterization, and Application to the Detection of Dopamine and Tyrosine," pp. 1–10, 2013.
- [19] M. Matsuguchi and T. Asahi, "Sensors and Actuators B: Chemical Properties and stability of polyaniline nanofiber ammonia sensors fabricated by novel on-substrate method," *Sensors Actuators B. Chem.*, vol. 160, no. 1, pp. 999–1004, 2011.
<https://doi.org/10.1016/j.snb.2011.09.017>
- [20] Y. Hou, J. Feng, Y. Wang, and L. Li, "Enhanced antibacterial activity of Ag-doped ZnO / polyaniline nanocomposites," *J. Mater. Sci. Mater. Electron.*, 2016.
<https://doi.org/10.1007/s10854-016-4669-0>
- [21] P. Sciences, "Gold Nanoparticle and Conducting Polymer – Polyaniline – Based Nanocomposites for Glucose Biosensor Design," no. SEPTEMBER 2013, 2016.
- [22] T. D. Centre, "Efficient ammonia sensing over zinc oxide / polyaniline nanocomposite," vol. 20, no. August, pp. 319–324, 2013.
- [23] P. Sciences, "Gold Nanoparticle and Conducting Polymer – Polyaniline – Based Nanocomposites for Glucose Biosensor Design," no. SEPTEMBER 2013, 2016.
- [24] D. Wei and A. Ivaska, "Electrochemical Biosensors Based on Polyaniline," vol. 839, pp. 839–852, 2006.
- [25] Z. Durmus, A. Baykal, and H. Kavas, "Preparation and characterization of polyaniline (PANI)–Mn 3 O 4 nanocomposite," vol. 406, pp. 1114–1120, 2011.
- [26] P. Wang, M. Liu, and J. Kan, "Sensors and Actuators B: Chemical Amperometric phenol biosensor based on polyaniline," vol. 140, pp. 577–584, 2009.
- [27] L. Q. Hoa, Y. Sugano, H. Yoshikawa, M. Saito, and E. Tamiya, "Electrochimica Acta Structural assembly effects of Pt nanoparticle – carbon nanotube – polyaniline nanocomposites on the enhancement of biohydrogen fuel cell performance," *Electrochim. Acta*, vol. 56, no. 27, pp. 9875–9882, 2011.
<https://doi.org/10.1016/j.electacta.2011.08.071>
- [28] M. Malathi, V. D. V, and V. Dhayabaran, "CODEN (USA): PCHHAX Highly Sensitive Determination of Chromium (VI) Based on Reduced Graphene Oxide / Polyaniline - Nafion Composite Modified Electrode," vol. 8, no. 19, pp. 49–56, 2016.
- [29] H. Abdullah, N. A. N. Azmy, N. M. Naim, A. A. Hamid, and S. Idris, "Synthesis and fabrication of ZnO-CuO doped PVA and ZnO-PbO doped PVA nanocomposite films by using γ -radiolysis and its microbial sensor application," *J. Sol-Gel Sci. Technol.*, vol. 74, no. 1, pp. 15–23, 2015.
<https://doi.org/10.1007/s10971-014-3565-4>
- [30] R. Archana, B. D. Priya, M. Monisha, T. Vinoth, P. Raji, and R. Krishna, "Synthesis Of Al / ZnO-PANI Nanocomposites For Gas Sensing Application," pp. 319–326.
- [31] A. Dutta, A. De, and C. Roy, "Sensors and Actuators B: Chemical Label free polyaniline based impedimetric biosensor for detection of E. coli O157 : H7 Bacteria," *Sensors Actuators B. Chem.*, vol. 171–172, pp. 916–923, 2012.
- [32] H. Kim, S. H. Park, and H. Park, "Synthesis of a new electrically conducting nanosized Ag – polyaniline – silica complex using γ -radiolysis and its biosensing application," *Radiat. Phys. Chem.*, vol. 79, no. 8, pp. 894–899, 2010.
<https://doi.org/10.1016/j.radphyschem.2010.02.005>
- [33] S. Ebrahimiasl and A. Zakaria, "Electrochemical Synthesis, Characterization and Gas Sensing Properties of Hybrid Ppy / CS Coated ZnO Nanospheres," vol. 11, pp. 9902–9916, 2016.
- [34] V. Dixit, J. C. Tewari, and B. S. Sharma, "Detection of E. coli in water using semi-conducting polymeric thin film sensor," vol. 120, pp. 96–103, 2006.
- [35] P. Mathur, S. C. K. Misra, M. Yadav, S. S. Bawa, and A. K. Gupta, "NANOCOMPOSITE COPOLYMER THIN FILMS SENSOR FOR DETECTION OF ESCHERICHIA COLI," vol. 6036, no. 2006, pp. 1–13.
- [36] Y. Li *et al.*, "Biosensors and Bioelectronics Impedance based detection of pathogenic E. coli O157 : H7 using a ferrocene-antimicrobial peptide modified biosensor," *Biosens. Bioelectron.*, vol. 58, pp. 193–199, 2014.
<https://doi.org/10.1016/j.bios.2014.02.045>
- [37] V. Escamilla-gómez, S. Campuzano, M. Pedrero, and J. M. Pingarrón, "Biosensors and Bioelectronics Gold screen-printed-based impedimetric immunobiosensors for direct and sensitive Escherichia coli quantisation," vol. 24, pp. 3365–3371, 2009.

