

REFERENCES

- [1] S. Sharma, G. Sharma, A. Kumar, T. S. AlGarni, M. Naushad, Z. A. ALOthman, and F. J. Stadler, "Adsorption of cationic dyes onto carrageenan and itaconic acid-based superabsorbent hydrogel: Synthesis, characterization and isotherm analysis," *Journal of Hazardous Materials*, vol. 421, 126729, pp. 1-16, 2022.
<https://doi.org/10.1016/j.jhazmat.2021.126729>
- [2] M. Pulat, and H. Eksi, "Determination of swelling behavior and morphological properties of poly (acrylamide-co-itaconic acid) and poly (acrylic acid-co-itaconic acid) copolymeric hydrogels," *Journal of applied polymer science*, vol. 102, no. 6, pp. 5994-5999, June 2006.
<https://doi.org/10.1002/app.25182>
- [3] P. M. Pakdel, S. J. Peighambaroust, N. Arsalani, and H. Aghdasinia, "Safranin-O cationic dye removal from wastewater using carboxymethyl cellulose-grafted-poly (acrylic acid-co-itaconic acid) nanocomposite hydrogel," *Environmental Research*, vol. 212, 113201, pp. 1-17, April 2022.
<https://doi.org/10.1016/j.envres.2022.113201>
- [4] X. Qi, W. Wei, T. Su, J. Zhang, and W. Dong, "Fabrication of a new polysaccharide-based adsorbent for water purification," *Carbohydrate polymers*, vol. 195, pp. 368-377, April 2018.
<https://doi.org/10.1016/j.carbpol.2018.04.112>
- [5] Q. Lv, M. Wu, and Y. Shen, "Enhanced swelling ratio and water retention capacity for novel super-absorbent hydrogel," *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, vol. 583, 123972, pp. 1-10, September 2019.
<https://doi.org/10.1016/j.colsurfa.2019.123972>
- [6] M. Zaltariov, D. Filip, C. D. Varganici, and D. Macocinschi, "ATR-FTIR and thermal behavior studies of new hydrogel formulations based on hydroxypropyl methylcellulose/poly (acrylic acid) polymeric blends," *Cellulose Chemistry and Technology*, vol. 52, no. 7-8, pp. 619-631, August 2018.
- [7] G. R. Mahdavinia, G. B. Marandi, A. Pourjavadi, and Kiani, G. "Semi-IPN carrageenan-based nanocomposite hydrogels: synthesis and swelling behavior," *Journal of Applied Polymer Science*, vol. 118, no. 5, pp. 2989-2997, July 2010.
<https://doi.org/10.1002/app.32700>
- [8] H. Hezaveh, and I. I. Muhamad, "Effect of natural cross-linker on swelling and structural stability of kappa-carrageenan/hydroxyethyl cellulose pH-sensitive hydrogels," *Korean Journal of Chemical Engineers*, vol. 29, no. 11, pp. 1647-1655, April 2012.
<https://doi.org/10.1007/s11814-012-0056-6>
- [9] A. M. Saeed, "Temperature effect on swelling properties of commercial polyacrylic acid hydrogel beads," *International journal of Advanced Biological and Biomedical Research*, vol. 1, no. 12, pp. 1614-1627, 2013.
- [10] L. Zhao, Q. Zheng, Y. Liu, S. Wang, J. Wang, and X. Liu, "Enhanced strength and toughness of κ -carrageenan/polyacrylic acid physical double-network hydrogels by dual cross-linking of the first network," *European Polymer Journal*, vol. 124, 109474, pp. 1-11, January 2020
<https://doi.org/10.1016/j.eurpolymj.2020.109474>
- [11] A. Pourjavadi, A. M. Harzandi, and H. Hosseinzadeh, "Modified carrageenan 3. Synthesis of a novel polysaccharide-based superabsorbent hydrogel via graft copolymerization of acrylic acid onto kappa-carrageenan in air," *European Polymer Journal*, vol. 40, no. 7, pp. 1363-1370, April 2004.
<https://doi.org/10.1016/j.eurpolymj.2004.02.016>
- [12] W. Bessashia, Y., Berredjem, Z. Hattab, and M. Bououdina, "Removal of Basic Fuchsin from water by using mussel powdered eggshell membrane as novel bioadsorbent: Equilibrium, kinetics, and thermodynamic studies," *Environmental research*, vol. 186, 109484, pp. 1-12, July 2020.
<https://doi.org/10.1016/j.envres.2020.109484>